


GN 21

Stainless Steel-Levelling feet



INOX
Stainless Steel



Type (Base plate)

- Type DO: fine turned, without rubber underlay
- Type D1: fine turned, with rubber underlay, inlaid, black

Version

- Version S: without nut, external hexagon at the bottom
- Version SK: with nut, external hexagon at the bottom
- Version T: without nut, wrench flat at the bottom, "not dipping" version
- Version TK: with nut, wrench flat at the bottom, "not dipping" version
- Version U: without nut, hexagon socket at the top, Wrench flat at the bottom
- Version UK: hexagon socket at the top, wrench flat at the bottom
- Version V: without nut, external hexagon at the top, Wrench flat at the bottom
- Version VK: with nut, external hexagon at the top, Wrench flat at the bottom
- Version W: with adjustable sleeve, hygienic version, Wrench flat at the bottom
- Version X: with female thread, external hexagon

Base plate

Stainless Steel AISI 303

Threaded stem

Stainless Steel AISI 303

Hexagon nut ISO 4032

Stainless Steel AISI 304



Rubber underlay, inlaid

Perbunan ® (NBR), 70 Shore A

Information

Stainless Steel-Levelling elements GN 21 will be delivered mounted and are not removable.

Load Rating of Stainless Steel Levelling feet GN 21



d ₁	d ₂	Static load in kN				
		Versions of threaded stem				
		S / SK	T / TK and U / UK	V / VK	W	X
80	M 8	6	-	-	-	17
80	M 10	11	-	-	-	17
80	M 12	16	-	-	-	17
80	M 16	-	17	21	25	17
80	M 20	-	28	35	35	28
80	M 24	-	46	52	52	-
100	M 8	6	-	-	-	17
100	M 10	11	-	-	-	17
100	M 12	16	-	-	-	17
100	M 16	-	17	21	25	17
100	M 20	-	28	35	35	28
100	M 24	-	46	52	52	-
120	M 20	-	28	-	-	-
120	M 24	-	46	-	-	-
120	M 30	-	43	-	-	-

Information

At a spindle thread size M 10 and higher, the static load of the Stainless Steel-Levelling feet GN 21 / GN 23 is limited owing to the permissible contact pressure of the adjustment spindle acting on the base plate (at a spindle strength $\geq 500 \text{ N/mm}^2$). The values given in the table (valid for type D0 without rubber underlay) assume a clean pressure load perpendicular to the base plate. Bending and buckling stress which often occurs in practice results in a lower load-bearing capacity of the adjustment spindle and may have to be taken into account.

The details given on strength are non-binding guide values without any liability. In general, they do not constitute a warranty of quality.

The user must determine from case to case if a product is suitable for the intended purpose or use. Environmental factors may influence the stated values.

Standard Elements	Main dimensions							Weight
	Description	d ₁	d ₂	l ₁	h ₁	h ₂	h ₃	
GN 21-80-M8-40-D0-S*	80	M8	40	8.5	-	19.5	17	-
GN 21-80-M8-40-D1-S*	80	M8	40	8.5	2	19.5	17	-
GN 21-80-M8-50-D0-S*	80	M8	50	8.5	-	19.5	17	-
GN 21-80-M8-50-D1-S*	80	M8	50	8.5	2	19.5	17	-
GN 21-80-M8-63-D0-S*	80	M8	63	8.5	-	19.5	17	-
GN 21-80-M8-63-D1-S*	80	M8	63	8.5	2	19.5	17	-

GN 21-80-M10-50-D0-S*	80	M10	50	8.5	-	19.5	17	-
GN 21-80-M10-50-D1-S*	80	M10	50	8.5	2	19.5	17	-
GN 21-80-M10-60-D0-S*	80	M10	60	8.5	-	19.5	17	-
GN 21-80-M10-60-D1-S*	80	M10	60	8.5	2	19.5	17	-
GN 21-80-M10-80-D0-S*	80	M10	80	8.5	-	19.5	17	-
GN 21-80-M10-80-D1-S*	80	M10	80	8.5	2	19.5	17	-
GN 21-80-M10-100-D0-S*	80	M10	100	8.5	-	19.5	17	-
GN 21-80-M10-100-D1-S*	80	M10	100	8.5	2	19.5	17	-
GN 21-80-M12-60-D0-S*	80	M12	60	8.5	-	19.5	17	-
GN 21-80-M12-60-D1-S*	80	M12	60	8.5	2	19.5	17	-
GN 21-80-M12-80-D0-S*	80	M10	100	8.5	-	19.5	17	-
GN 21-80-M12-80-D1-S*	80	M12	80	8.5	2	19.5	17	-
GN 21-80-M12-100-D0-S*	80	M12	100	8.5	-	19.5	17	-
GN 21-80-M12-100-D1-S*	80	M12	100	8.5	2	19.5	17	-
GN 21-80-M12-125-D0-S*	80	M12	125	8.5	-	19.5	17	-
GN 21-80-M12-125-D1-S*	80	M12	125	8.5	2	19.5	17	-
GN 21-100-M8-40-D0-S*	100	M8	40	9	-	20.5	17	-
GN 21-100-M8-40-D1-S*	100	M8	40	9	3	20.5	17	-
GN 21-100-M8-50-D0-S*	100	M8	50	9	-	20.5	17	-
GN 21-100-M8-50-D1-S*	100	M8	50	9	3	20.5	17	-
GN 21-100-M8-63-D0-S*	100	M8	63	9	-	20.5	17	-
GN 21-100-M8-63-D1-S*	100	M8	63	9	3	20.5	17	-
GN 21-100-M10-50-D0-S*	100	M10	50	9	-	20.5	17	-
GN 21-100-M10-50-D1-S*	100	M10	50	9	3	20.5	17	-
GN 21-100-M10-60-D0-S*	100	M10	60	9	-	20.5	17	-
GN 21-100-M10-60-D1-S*	100	M10	60	9	3	20.5	17	-
GN 21-100-M10-80-D0-S*	100	M10	80	9	-	20.5	17	-
GN 21-100-M10-80-D1-S*	100	M10	80	9	3	20.5	17	-
GN 21-100-M10-100-D0-S*	100	M10	100	9	-	20.5	17	-
GN 21-100-M10-100-D1-S*	100	M10	100	9	3	20.5	17	-
GN 21-100-M12-60-D0-S*	100	M12	60	9	-	20.5	17	-
GN 21-100-M12-60-D1-S*	100	M12	60	9	3	20.5	17	-
GN 21-100-M12-80-D0-S*	100	M12	80	9	-	20.5	17	-
GN 21-100-M12-80-D1-S*	100	M12	80	9	3	20.5	17	-
GN 21-100-M12-100-D0-S*	100	M12	100	9	-	20.5	17	-
GN 21-100-M12-100-D1-S*	100	M12	100	9	3	20.5	17	-
GN 21-100-M12-125-D0-S*	100	M12	125	9	-	20.5	17	-
GN 21-100-M12-125-D1-S*	100	M12	125	9	3	20.5	17	-

* Complete the description of the standard item by adding a "k", if you want to order with locknut.

Standard Elements	Main dimensions							Weight
Description	d ₁	d ₂	l ₁	h ₁	h ₂	h ₄	A/F ₂	g
GN 21-80-M16-75-D0-T*	80	M16	75	8.5	-	25.5	12	-
GN 21-80-M16-75-D1-T*	80	M16	75	8.5	2	25.5	12	-
GN 21-80-M16-100-D0-T*	80	M16	100	8.5	-	25.5	12	-
GN 21-80-M16-100-D1-T*	80	M16	100	8.5	2	25.5	12	-

GN 21-80-M16-125-D0-T*	80	M16	125	8.5	-	25.5	12	-
GN 21-80-M16-125-D1-T*	80	M16	125	8.5	2	25.5	12	-
GN 21-80-M16-150-D0-T*	80	M16	150	8.5	-	25.5	12	-
GN 21-80-M16-150-D1-T*	80	M16	150	8.5	2	25.5	12	-
GN 21-80-M16-200-D0-T*	80	M16	200	8.5	-	25.5	12	-
GN 21-80-M16-200-D1-T*	80	M16	200	8.5	2	25.5	12	-
GN 21-80-M20-75-D0-T*	80	M20	75	8.5	-	27	15	-
GN 21-80-M20-75-D1-T*	80	M20	75	8.5	2	27	15	-
GN 21-80-M20-100-D0-T*	80	M20	100	8.5	-	27	15	-
GN 21-80-M20-100-D1-T*	80	M20	100	8.5	2	27	15	-
GN 21-80-M20-125-D0-T*	80	M20	125	8.5	-	27	15	-
GN 21-80-M20-125-D1-T*	80	M20	125	8.5	2	27	15	-
GN 21-80-M20-150-D0-T*	80	M20	150	8.5	-	27	15	-
GN 21-80-M20-150-D1-T*	80	M20	150	8.5	2	27	15	-
GN 21-80-M20-200-D0-T*	80	M20	200	8.5	-	27	15	-
GN 21-80-M20-200-D1-T*	80	M20	200	8.5	2	27	15	-
GN 21-80-M24-100-D0-T*	80	M24	100	8.5	-	30.5	19	-
GN 21-80-M24-100-D1-T*	80	M24	100	8.5	2	30.5	19	-
GN 21-80-M24-125-D0-T*	80	M24	125	8.5	-	30.5	19	-
GN 21-80-M24-125-D1-T*	80	M24	125	8.5	2	30.5	19	-
GN 21-80-M24-150-D0-T*	80	M24	150	8.5	-	30.5	19	-
GN 21-80-M24-150-D1-T*	80	M24	150	8.5	2	30.5	19	-
GN 21-80-M24-200-D0-T*	80	M24	200	8.5	-	30.5	19	-
GN 21-80-M24-200-D1-T*	80	M24	200	8.5	2	30.5	19	-
GN 21-100-M16-75-D0-T*	100	M16	75	9	-	26.5	12	-
GN 21-100-M16-75-D1-T*	100	M16	75	9	3	26.5	12	-
GN 21-100-M16-100-D0-T*	100	M16	100	9	-	26.5	12	-
GN 21-100-M16-100-D1-T*	100	M16	100	9	3	26.5	12	-
GN 21-100-M16-125-D0-T*	100	M16	125	9	-	26.5	12	-
GN 21-100-M16-125-D1-T*	100	M16	125	9	3	26.5	12	-
GN 21-100-M16-150-D0-T*	100	M16	150	9	-	26.5	12	-
GN 21-100-M16-150-D1-T*	100	M16	150	9	3	26.5	12	-
GN 21-100-M16-200-D0-T*	100	M16	200	9	-	26.5	12	-
GN 21-100-M16-200-D1-T*	100	M16	200	9	3	26.5	12	-
GN 21-100-M20-75-D0-T*	100	M20	75	9	-	28	15	-
GN 21-100-M20-75-D1-T*	100	M20	75	9	3	28	15	-
GN 21-100-M20-100-D0-T*	100	M20	100	9	-	28	15	-
GN 21-100-M20-100-D1-T*	100	M20	100	9	3	28	15	-
GN 21-100-M20-125-D0-T*	100	M20	125	9	-	28	15	-
GN 21-100-M20-125-D1-T*	100	M20	125	9	3	28	15	-
GN 21-100-M20-150-D0-T*	100	M20	150	9	-	28	15	-
GN 21-100-M20-150-D1-T*	100	M20	150	9	3	28	15	-
GN 21-100-M20-200-D0-T*	100	M20	200	9	-	28	15	-
GN 21-100-M20-200-D1-T*	100	M20	200	9	3	28	15	-

GN 21-100-M24-100-DO-T*	100	M24	100	9	-	31.5	19	-
GN 21-100-M24-100-D1-T*	100	M24	100	9	3	31.5	19	-
GN 21-100-M24-125-DO-T*	100	M24	125	9	-	31.5	19	-
GN 21-100-M24-125-D1-T*	100	M24	125	9	3	31.5	19	-
GN 21-100-M24-150-DO-T*	100	M24	150	9	-	31.5	19	-
GN 21-100-M24-150-D1-T*	100	M24	150	9	3	31.5	19	-
GN 21-100-M24-200-DO-T*	100	M24	200	9	-	31.5	19	-
GN 21-100-M24-200-D1-T*	100	M24	200	9	3	31.5	19	-
GN 21-120-M20-100-DO-T*	120	M20	100	12	-	32	15	-
GN 21-120-M20-100-D1-T*	120	M20	100	12	3	32	15	-
GN 21-120-M20-125-DO-T*	120	M20	125	12	-	32	15	-
GN 21-120-M20-125-D1-T*	120	M20	125	12	3	32	15	-
GN 21-120-M20-150-DO-T*	120	M20	150	12	-	32	15	-
GN 21-120-M20-150-D1-T*	120	M20	150	12	3	32	15	-
GN 21-120-M20-200-DO-T*	120	M20	200	12	-	32	15	-
GN 21-120-M20-200-D1-T*	120	M20	200	12	3	32	15	-
GN 21-120-M24-100-DO-T*	120	M24	100	12	-	35.5	19	-
GN 21-120-M24-100-D1-T*	120	M24	100	12	3	35.5	19	-
GN 21-120-M24-125-DO-T*	120	M24	125	12	-	35.5	19	-
GN 21-120-M24-125-D1-T*	120	M24	125	12	3	35.5	19	-
GN 21-120-M24-150-DO-T*	120	M24	150	12	-	35.5	19	-
GN 21-120-M24-150-D1-T*	120	M24	150	12	3	35.5	19	-
GN 21-120-M24-200-DO-T*	120	M24	200	12	-	35.5	19	-
GN 21-120-M24-200-D1-T*	120	M24	200	12	3	35.5	18	-
GN 21-120-M30-100-DO-T*	120	M30	100	12	-	39.5	24	-
GN 21-120-M30-100-D1-T*	120	M30	100	12	3	39.5	24	-
GN 21-120-M30-125-DO-T*	120	M30	125	12	-	39.5	24	-
GN 21-120-M30-125-D1-T*	120	M30	125	12	3	39.5	24	-
GN 21-120-M30-150-DO-T*	120	M30	150	12	-	39.5	24	-
GN 21-120-M30-150-D1-T*	120	M30	150	12	3	39.5	24	-

* Complete the description of the standard item by adding a "k", if you want to order with locknut.

Description	d ₁	d ₂	l ₁	h ₁	h ₂	h ₄	A/F ₂	A/F ₃	g
GN 21-80-M16-75-DO-U*	80	M16	75	8.5	-	25.5	12	8	-
GN 21-80-M16-75-D1-U*	80	M16	75	8.5	2	25.5	12	8	-
GN 21-80-M16-100-DO-U*	80	M16	100	8.5	-	25.5	12	8	-
GN 21-80-M16-100-D1-U*	80	M16	100	8.5	2	25.5	12	8	-
GN 21-80-M16-125-DO-U*	80	M16	125	8.5	-	25.5	12	8	-
GN 21-80-M16-125-D1-U*	80	M16	125	8.5	2	25.5	12	8	-
GN 21-80-M16-150-DO-U*	80	M16	150	8.5	-	25.5	12	8	-
GN 21-80-M16-150-D1-U*	80	M16	150	8.5	2	25.5	12	8	-
GN 21-80-M16-200-DO-U*	80	M16	200	8.5	-	25.5	12	8	-
GN 21-80-M16-200-D1-U*	80	M16	200	8.5	2	25.5	12	8	-
GN 21-80-M20-75-DO-U*	80	M20	75	8.5	-	27	15	10	-
GN 21-80-M20-75-D1-U*	80	M20	75	8.5	2	27	15	10	-
GN 21-80-M20-100-DO-U*	80	M20	100	8.5	-	27	15	10	-

GN 21-80-M20-100-D1-U*	80	M20	100	8.5	2	27	15	10	-
GN 21-80-M20-125-D0-U*	80	M20	125	8.5	-	27	15	10	-
GN 21-80-M20-125-D1-U*	80	M20	125	8.5	2	27	15	10	-
GN 21-80-M20-150-D0-U*	80	M20	150	8.5	-	27	15	10	-
GN 21-80-M20-150-D1-U*	80	M20	150	8.5	2	27	15	10	-
GN 21-80-M20-200-D0-U*	80	M20	200	8.5	-	27	15	10	-
GN 21-80-M20-200-D1-U*	80	M20	200	8.5	2	27	15	10	-
GN 21-80-M24-100-D0-U*	80	M24	100	8.5	-	30.5	19	12	-
GN 21-80-M24-100-D1-U*	80	M24	100	8.5	2	30.5	19	12	-
GN 21-80-M24-125-D0-U*	80	M24	125	8.5	-	30.5	19	12	-
GN 21-80-M24-125-D1-U*	80	M24	125	8.5	2	30.5	19	12	-
GN 21-80-M24-150-D0-U*	80	M24	150	8.5	-	30.5	19	12	-
GN 21-80-M24-150-D1-U*	80	M24	150	8.5	2	30.5	19	12	-
GN 21-80-M24-200-D0-U*	80	M24	200	8.5	-	30.5	19	12	-
GN 21-80-M24-200-D1-U*	80	M24	200	8.5	2	30.5	19	12	-
GN 21-100-M16-75-D0-U*	100	M16	75	9	-	26.5	12	12	-
GN 21-100-M16-75-D1-U*	100	M16	75	9	3	26.5	12	12	-
GN 21-100-M16-100-D0-U*	100	M16	100	9	-	26.5	12	12	-
GN 21-100-M16-100-D1-U*	100	M16	100	9	3	26.5	12	8	-
GN 21-100-M16-125-D0-U*	100	M16	125	9	-	26.5	12	8	-
GN 21-100-M16-125-D1-U*	100	M16	125	9	3	26.5	12	8	-
GN 21-100-M16-150-D0-U*	100	M16	150	9	-	26.5	12	8	-
GN 21-100-M16-150-D1-U*	100	M16	150	9	3	26.5	12	8	-
GN 21-100-M16-200-D0-U*	100	M16	200	9	-	26.5	12	8	-
GN 21-100-M16-200-D1-U*	100	M16	200	9	3	26.5	12	8	-
GN 21-100-M20-75-D0-U*	100	M20	75	9	-	28	15	10	-
GN 21-100-M20-75-D1-U*	100	M20	75	9	3	28	15	10	-
GN 21-100-M20-100-D0-U*	100	M20	100	9	-	28	15	10	-
GN 21-100-M20-100-D1-U*	100	M20	100	9	3	28	15	10	-
GN 21-100-M20-125-D0-U*	100	M20	125	9	-	28	15	10	-
GN 21-100-M20-125-D1-U*	100	M20	125	9	3	28	15	10	-
GN 21-100-M20-150-D0-U*	100	M20	150	9	-	28	15	10	-
GN 21-100-M20-150-D1-U*	100	M20	150	9	3	28	15	10	-
GN 21-100-M20-200-D0-U*	100	M20	200	9	-	28	15	10	-
GN 21-100-M20-200-D1-U*	100	M20	200	9	3	28	15	10	-
GN 21-100-M24-100-D0-U*	100	M24	100	9	-	31.5	19	12	-
GN 21-100-M24-100-D1-U*	100	M24	100	9	3	31.5	19	12	-
GN 21-100-M24-125-D0-U*	100	M24	125	9	-	31.5	19	12	-
GN 21-100-M24-125-D1-U*	100	M24	125	9	3	31.5	19	12	-
GN 21-100-M24-150-D0-U*	100	M24	150	9	-	31.5	19	12	-
GN 21-100-M24-150-D1-U*	100	M24	150	9	3	31.5	19	12	-
GN 21-100-M24-200-D0-U*	100	M24	200	9	-	31.5	19	12	-
GN 21-100-M24-200-D1-U*	100	M24	200	9	3	31.5	19	12	-
GN 21-120-M20-100-D0-U*	120	M20	100	12	-	32	15	10	-

GN 21-120-M20-100-D1-U*	120	M20	100	12	3.5	32	15	10	-
GN 21-120-M20-125-D0-U*	120	M20	125	12	-	32	15	10	-
GN 21-120-M20-125-D1-U*	120	M20	125	12	3.5	32	15	10	-
GN 21-120-M20-150-D0-U*	120	M20	150	12	-	32	15	10	-
GN 21-120-M20-150-D1-U*	120	M20	150	12	3.5	32	15	10	-
GN 21-120-M20-200-D0-U*	120	M20	200	12	-	32	15	10	-
GN 21-120-M20-200-D1-U*	120	M20	200	12	3.5	32	15	10	-
GN 21-120-M24-100-D0-U*	120	M24	100	12	-	35.5	19	-	-
GN 21-120-M24-100-D1-U*	120	M24	100	12	3.5	35.5	19	12	1
GN 21-120-M24-125-D0-U*	120	M24	125	12	-	35.5	19	12	-
GN 21-120-M24-125-D1-U*	120	M24	125	12	3.5	35.5	19	12	-
GN 21-120-M24-150-D0-U*	120	M24	150	12	-	35.5	19	12	-
GN 21-120-M24-150-D1-U*	120	M24	150	12	3.5	35.5	19	12	-
GN 21-120-M24-200-D0-U*	120	M24	200	12	-	35.5	19	12	-
GN 21-120-M24-200-D1-U*	120	M24	200	12	3.5	35.5	19	12	-
GN 21-120-M30-100-D0-U*	120	M30	100	12	-	39.5	24	12	-
GN 21-120-M30-100-D1-U*	120	M30	100	12	3.5	39.5	24	12	-
GN 21-120-M30-125-D0-U*	120	M30	125	12	-	39.5	24	12	-
GN 21-120-M30-125-D1-U*	120	M30	125	12	3.5	39.5	24	12	-
GN 21-120-M30-150-D0-U*	120	M30	150	12	-	39.5	24	12	-
GN 21-120-M30-150-D1-U*	120	M30	150	12	3.5	39.5	24	12	-

* Complete the description of the standard item by adding a "k", if you want to order with locknut.

Description	d ₁	d ₂	l ₂	h ₁	h ₂	h ₅	A/F ₄	A/F ₅
GN 21-80-M16-75-D0-V*	80	M16	75	8.5	-	21.5	10	12
GN 21-80-M16-75-D1-V*	80	M16	75	8.5	2	21.5	10	12
GN 21-80-M16-100-D0-V*	80	M16	100	8.5	-	21.5	10	12
GN 21-80-M16-100-D1-V*	80	M16	100	8.5	2	21.5	10	12
GN 21-80-M16-125-D0-V*	80	M16	125	8.5	-	21.5	10	12
GN 21-80-M16-125-D1-V*	80	M16	125	8.5	2	21.5	10	12
GN 21-80-M16-150-D0-V*	80	M16	150	8.5	-	21.5	10	12
GN 21-80-M16-150-D1-V*	80	M16	150	8.5	2	21.5	10	12
GN 21-80-M20-100-D0-V*	80	M20	100	8.5	-	23	13	16
GN 21-80-M20-100-D1-V*	80	M20	100	8.5	2	23	13	16
GN 21-80-M20-125-D0-V*	80	M20	125	8.5	-	23	13	16
GN 21-80-M20-125-D1-V*	80	M20	125	8.5	2	23	13	16
GN 21-80-M20-150-D0-V*	80	M20	150	8.5	-	23	13	16
GN 21-80-M20-150-D1-V*	80	M20	150	8.5	2	23	13	16
GN 21-80-M20-200-D0-V*	80	M20	200	8.5	-	23	13	16
GN 21-80-M20-200-D1-V*	80	M20	200	8.5	2	23	13	16
GN 21-80-M24-100-D0-V*	80	M24	100	8.5	-	26	17	20
GN 21-80-M24-100-D1-V*	80	M24	100	8.5	2	26	17	20
GN 21-80-M24-150-D0-V*	80	M24	150	8.5	-	26	17	20
GN 21-80-M24-150-D1-V*	80	M24	150	8.5	2	26	17	20
GN 21-80-M24-200-D0-V*	80	M24	200	8.5	-	26	17	20
GN 21-80-M24-200-D1-V*	80	M24	200	8.5	2	26	17	20

GN 21-100-M16-75-D0-V*	100	M16	75	9	-	22.5	10	12
GN 21-100-M16-75-D1-V*	100	M16	75	9	3	22.5	10	12
GN 21-100-M16-100-D0-V*	100	M16	100	9	-	22.5	10	12
GN 21-100-M16-100-D1-V*	100	M16	100	9	3	22.5	10	12
GN 21-100-M16-125-D0-V*	100	M16	125	9	-	22.5	10	12
GN 21-100-M16-125-D1-V*	100	M16	125	9	3	22.5	10	12
GN 21-100-M16-150-D0-V*	100	M16	150	9	-	22.5	10	12
GN 21-100-M16-150-D1-V*	100	M16	150	9	3	22.5	10	12
GN 21-100-M20-100-D0-V*	100	M20	100	9	-	24	13	16
GN 21-100-M20-100-D1-V*	100	M20	100	9	3	24	13	16
GN 21-100-M20-125-D0-V*	100	M20	125	9	-	24	13	16
GN 21-100-M20-125-D1-V*	100	M20	125	9	3	24	13	16
GN 21-100-M20-150-D0-V*	100	M20	150	9	-	24	13	16
GN 21-100-M20-150-D1-V*	100	M20	150	9	3	24	13	16
GN 21-100-M20-200-D0-V*	100	M20	200	9	-	24	13	16
GN 21-100-M20-200-D1-V*	100	M20	200	9	3	24	13	16
GN 21-100-M24-100-D0-V*	100	M24	100	9	-	27	17	20
GN 21-100-M24-100-D1-V*	100	M24	100	9	3	27	17	20
GN 21-100-M24-150-D0-V*	100	M24	150	9	-	27	17	20
GN 21-100-M24-150-D1-V*	100	M24	150	9	3	27	17	20
GN 21-100-M24-200-D0-V*	100	M24	200	9	-	27	17	20
GN 21-100-M24-200-D1-V*	100	M24	200	9	3	27	17	20

* Complete the description of the standard item by adding a "k", if you want to order with locknut.

Description	d ₁	d ₂	l ₃	d ₃	h ₁	h ₂	l ₄	l ₅	l ₆	A/F ₅	A/F ₆
GN 21-80-M16-118-D0-W	80	M16	118	24	8.5	-	45	45	32	12	20
GN 21-80-M16-118-D1-W	80	M16	118	24	8.5	2	45	45	32	12	20
GN 21-80-M16-143-D0-W	80	M16	143	24	8.5	-	45	45	32	12	20
GN 21-80-M16-143-D1-W	80	M16	143	24	8.5	2	45	45	32	12	20
GN 21-80-M16-168-D0-W	80	M16	168	24	8.5	-	45	45	32	12	20
GN 21-80-M16-168-D1-W	80	M16	168	24	8.5	2	45	45	32	12	20
GN 21-80-M16-193-D0-W	80	M16	193	24	8.5	-	45	45	32	12	20
GN 21-80-M16-193-D1-W	80	M16	193	24	8.5	2	45	45	32	12	20
GN 21-80-M20-143-D0-W	80	M20	143	30	8.5	-	56	56	40	16	24
GN 21-80-M20-143-D1-W	80	M20	143	30	8.5	2	56	56	40	16	24
GN 21-80-M20-168-D0-W	80	M20	168	30	8.5	-	56	56	40	16	24
GN 21-80-M20-168-D1-W	80	M20	168	30	8.5	2	56	56	40	16	24
GN 21-80-M20-193-D0-W	80	M20	194	30	8.5	-	56	56	40	16	24
GN 21-80-M20-194-D1-W	80	M20	194	30	8.5	2	56	56	40	16	24
GN 21-80-M20-243-D0-W	80	M20	243	30	8.5	-	56	56	40	16	24
GN 21-80-M20-243-D1-W	80	M20	243	30	8.5	2	56	56	40	16	24
GN 21-80-M24-168-D0-W	80	M24	168	35	8.5	-	67	67	48	20	30
GN 21-80-M24-168-D1-W	80	M24	168	35	8.5	2	67	67	48	20	30
GN 21-80-M24-218-D0-W	80	M24	218	35	8.5	-	67	67	48	20	30
GN 21-80-M24-218-D1-W	80	M24	218	35	8.5	2	67	67	48	20	30

GN 21-80-M24-268-D0-W	80	M24	268	35	8.5	-	67	67	48	20	30
GN 21-80-M24-268-D1-W	80	M24	268	35	8.5	2	67	67	48	20	30
GN 21-100-M16-119-D0-W	100	M16	119	24	9	-	45	45	32	12	20
GN 21-100-M16-119-D1-W	100	M16	119	24	9	3	45	45	32	12	20
GN 21-100-M16-144-D0-W	00	M16	144	24	9	-	45	45	32	12	20
GN 21-100-M16-144-D1-W	100	M16	144	24	9	3	45	45	32	12	20
GN 21-100-M16-169-D0-W	100	M16	169	24	9	-	45	45	32	12	20
GN 21-100-M16-169-D1-W	100	M16	169	24	9	3	45	45	32	12	20
GN 21-100-M16-194-D0-W	100	M16	194	24	9	-	45	45	32	12	20
GN 21-100-M16-194-D1-W	100	M16	194	24	9	3	45	45	32	12	20
GN 21-100-M20-144-D0-W	100	M20	144	30	9	-	56	56	40	16	24
GN 21-100-M20-144-D1-W	100	M20	144	30	9	3	56	56	40	16	24
GN 21-100-M20-169-D0-W	100	M20	169	30	9	-	56	56	40	16	24
GN 21-100-M20-169-D1-W	100	M20	169	30	9	3	56	56	40	16	24
GN 21-100-M20-194-D0-W	100	M20	194	30	9	-	56	56	40	16	24
GN 21-100-M20-195-D1-W	100	M20	195	30	9	3	56	56	40	16	24
GN 21-100-M20-244-D0-W	100	M20	244	30	9	-	56	56	40	16	24
GN 21-100-M20-244-D1-W	100	M20	244	30	9	3	56	56	40	16	24
GN 21-100-M24-169-D0-W	100	M24	169	35	9	-	67	67	48	20	30
GN 21-100-M24-169-D1-W	100	M24	169	35	9	3	67	67	48	20	30
GN 21-100-M24-219-D0-W	100	M24	219	35	9	-	67	67	48	20	30
GN 21-100-M24-219-D1-W	100	M24	219	35	9	3	67	67	48	20	30
GN 21-100-M24-269-D0-W	100	M24	269	35	9	-	67	67	48	20	30
GN 21-100-M24-269-D1-W	100	M24	269	35	9	3	67	67	48	20	30

Description	d ₁	d ₂	l ₇	h ₁	h ₂	A/F ₇	t
GN 21-80-M8-34-D0-X	80	M8	34	8.5	-	14	8
GN 21-80-M8-34-D1-X	80	M8	34	8.5	2	14	8
GN 21-80-M10-37-D0-X	80	M10	37	8.5	-	14	10
GN 21-80-M10-37-D1-X	80	M10	37	8.5	2	14	10
GN 21-80-M12-40-D0-X	80	M12	40	8.5	-	17	12
GN 21-80-M12-40-D1-X	80	M12	40	8.5	2	17	12
GN 21-80-M16-46-D0-X	80	M16	46	8.5	-	22	16
GN 21-80-M16-46-D1-X	80	M16	46	8.5	2	22	16
GN 21-80-M20-54-D0-X	80	M20	54	8.5	-	27	20
GN 21-80-M20-54-D1-X	80	M20	54	8.5	2	27	20
GN 21-100-M8-35-D0-X	100	M8	35	9	-	14	8
GN 21-100-M8-35-D1-X	100	M8	35	9	3	14	8
GN 21-100-M10-38-D0-X	100	M10	38	9	-	14	10
GN 21-100-M10-38-D1-X	100	M10	38	9	3	14	10
GN 21-100-M12-41-D0-X	100	M12	41	9	-	17	12
GN 21-100-M12-41-D1-X	100	M12	41	9	3	17	12
GN 21-100-M16-47-D0-X	100	M16	47	9	-	22	16
GN 21-100-M16-47-D1-X	100	M16	47	9	3	22	16
GN 21-100-M20-55-D0-X	100	M20	55	9	-	27	20

GN 21-100-M20-55-D1-X	100	M20	55	9	3	27	20
GN 21-120-M20-59-D0-X	120	M20	59	12	-	27	20
GN 21-120-M20-59-D1-X	120	M20	59	12	3.5	27	20



STANDARD MACHINE ELEMENTS WORLDWIDE